



## SUMMARY OF PRODUCT CHARACTERISTICS

<b>Document No:</b>	<b>FDA/DRI/DER/TP-SPC/2013/03</b>
<b>Date of First Adoption:</b>	<b>1<sup>st</sup> February 2013</b>
<b>Date of Issue:</b>	<b>1<sup>st</sup> March 2013</b>
<b>Version No:</b>	<b>02</b>

## ACKNOWLEDGEMENT

The Food and Drugs Authority (FDA) acknowledges the technical support of the World Health Organization (WHO) in the development of this guideline.

## 1. NAME OF THE MEDICINAL PRODUCT

{(Invented) name strength pharmaceutical form}\*

## 2. QUALITATIVE AND QUANTITATIVE COMPOSITION

<Excipient(s):>

For a full list of excipients, see section 6.1.

## 3. PHARMACEUTICAL FORM

<The scoreline is only to facilitate breaking for ease of swallowing and not to divide into equal doses.>

<The tablet can be divided into equal halves.>

<The tablet should not be divided.>

## 4. CLINICAL PARTICULARS

### 4.1 Therapeutic indications

<{X} is indicated in <adults> <neonates> <infants> <children> <adolescents> <aged {x to y}> <years> <months>>.>

### 4.2 Posology and method of administration

#### Posology

##### *Paediatric population*

<The <safety> <and> <efficacy> of {X} in children aged {x to y} <months> <years> {or any other relevant subsets e.g. weight, pubertal age, gender} <has> <have> not <yet> been established.>

<No data are available.> <Currently available data are described in section <4.8> <5.1> <5.2> but no recommendation on a posology can be made.>

<{X} should not be used in children aged {x to y} <years> <months> {or any other relevant subsets e.g. weight, pubertal age, gender} because of <safety> <efficacy> concern(s).>

<There is no relevant use of {X} <in the paediatric population> <in children aged {x to y} <years>, <months> {or any other relevant subsets e.g. weight, pubertal age, gender} <in the indication...>

<{X} is contraindicated in children aged {x to y} <years> <months> {or any other relevant subsets e.g. weight, pubertal age, gender} <in the indication...> (see section 4.3).>

---

\* Trade names are not prequalified by WHO. This is under local DRA responsibility. Throughout this WHOPAR the proprietary name is given as an example only.

Method of administration**4.3 Contraindications**

<Hypersensitivity to the active substance(s) or to any of the excipients <or {name of the residue(s)}>.>

**4.4 Special warnings and precautions for use****4.5 Interaction with other medicinal products and other forms of interaction**

<No interaction studies have been performed.>

<Interaction studies have only been performed in adults.>

**4.6 Pregnancy and lactation**

*[For Pregnancy and lactation statements see Appendix 3 (ref. Appendix I).]*

<Women of childbearing potential>

<Contraception in males and females>

<Pregnancy>

<Breastfeeding>

<Fertility>

**4.7 Effects on ability to drive and use machines**

<{Invented name} has <no <or negligible> influence> <minor influence>, <moderate influence> <major influence> on the ability to drive and use machines.>

<No studies on the effects on the ability to drive and use machines have been performed.>

<Not relevant.>

**4.8 Undesirable effects**

*[MedDRA frequency convention and system organ class database, see Appendix 3 (ref. Appendix III)]*

<Paediatric population>

**4.9 Overdose**

<No case of overdose has been reported.>

**5. PHARMACOLOGICAL PROPERTIES****5.1 Pharmacodynamic properties**

Pharmacotherapeutic group: {group}, ATC code: {code}

<Mechanism of action>

<Pharmacodynamic effects>

<Clinical efficacy and safety>

<Paediatric population>

**5.2 Pharmacokinetic properties**

<Paediatric population>

**5.3 Preclinical safety data**

<Non-clinical data reveal no special hazard for humans based on conventional studies of safety pharmacology, repeated dose toxicity, genotoxicity, carcinogenic potential, toxicity to reproduction and development.>

<Effects in non-clinical studies were observed only at exposures considered sufficiently in excess of the maximum human exposure indicating little relevance to clinical use.>

<Adverse reactions not observed in clinical studies, but seen in animals at exposure levels similar to clinical exposure levels and with possible relevance to clinical use were as follows:>

## **6. PHARMACEUTICAL PARTICULARS**

### **6.1 List of excipients**

### **6.2 Incompatibilities**

<Not applicable.>

<In the absence of compatibility studies, this medicinal product must not be mixed with other medicinal products.>

<This medicinal product must not be mixed with other medicinal products except those mentioned in section 6.6.>

### **6.3 Shelf life**

<...> <6 months> <...> <1 year> <18 months> <2 years> <30 months> <3 years>

< Shelf life for the reconstituted product, where appropriate...>

### **6.4 Special precautions for storage**

*[For storage conditions statements see Appendix 3 (ref. Appendix III)]*

<For storage conditions of the <reconstituted> <diluted> medicinal product, see section 6.3.>

### **6.5 Nature and contents of container <and special equipment for use, administration or implantation>**

### **6.6 Special precautions for disposal <and other handling>**

<No special requirements.>

<Any unused product or waste material should be disposed of in accordance with local requirements.>

## **7. <SUPPLIER>**

{Name and address}

<{tel}>

<{fax}>

<{e-mail}>

## **8. DATE OF PUBLICATION OR REVISION**