



My Enbrel Patient Card

Congestive Heart Failure ¹

If you develop symptoms suggestive of congestive heart failure or worsening of existing congestive heart failure ², such as shortness of breath, swelling of ankles, persistent cough or fatigue, seek medical attention immediately.

If you get any side effects, talk to your doctor, pharmacist or nurse. This includes any possible side effects not listed in the package leaflet. You can also report side effects directly via NGA.AEReporting@pfizer.com
By reporting side effects you can help provide more information on the safety of this medicine.

Reference: 1. NEAR NEAR, February 2021, version 7.
2. Heart failure Symptoms and causes. Mayo Clinic. Assessed on 31st August 2021
from www.mayoclinic.org/diseases-conditions/heart-failure/symptoms-causes/syc-20373142?p=1

Other information

Patient's name:

Doctor's name:

Doctor's phone:

My Enbrel (etanercept) Patient Card

Please carry this card with you at all times



Pfizer Specialties Ltd.
Heritage Place 7th Floor,
21 Lugard Avenue,
Ikoyi, Lagos, Nigeria.

Ghana Office: c/o IQVIA
7 Barnes Road/Farrar Avenue,
Adabraka,
Accra, Ghana

PP-ENB-NEA-0051. July 2021

This card contains important safety information that you need to be aware of before you are given Enbrel, and during treatment with Enbrel. If you do not understand this information, please ask your doctor to explain it to you.

Show this card to any doctor involved in your treatment. Keep this card with you for 2 months after the last Enbrel dose, since side effects may occur after your last dose of Enbrel. See the Enbrel package leaflet for more information.

It is important that you and your doctor record the brand name and batch number of your medication.

Brand name:.....

Batch number:.....

Infections: Serious infections, including sepsis and tuberculosis (TB) ¹, have been reported with the use of Enbrel

You should not use Enbrel if you have an infection. If you are not sure, ask your doctor.

If you develop symptoms suggestive of infections, such as fever, persistent cough, weight loss, or listlessness, seek medical attention immediately.

You should be evaluated for tuberculosis (TB). Ask your doctor to record the dates and the results of your last screening for TB below.

Reference: 1. NEAR NEAR, February 2021, version 7.

Test:

Date:

Results:

Test:

Date:

Results:

Please ask your physician to list your other medications that may increase your risk of infection

.....